

Fisheries and Oceans Canada

Pêches et Océans Canada

# Quebec Marine Fisheries

## Monthly Landing Statistics by Species

## JUNE 2002

**It is important to note that data related to Soft shell clam and Whelk are incomplete for North Shore Area.**

Canada

102-06768/

# Quebec Marine Fisheries

## Monthly Landing Statistics by Species

## June 2002

Statistics Service
Fisheries Management Branch
Department of Fisheries and Oceans
Quebec (Quebec)
G1K 7Y7

August 16th, 2002

Published by:

Statistics Service
Fisheries Management Branch
Department of Fisheries and Oceans
Quebec (Quebec)
G1K 7Y7

@Minister of Supply and Services
Canada 2002
Catalog No Es 2-8/2002-06E
ISSN 1187-7693

Correct citation for this publication:

Department of Fisheries and Oceans. 2002. Quebec Marine Fisheries - Monthly Landing Statistics by Species, June 2002, 57 p.
Copie française disponible

This document is published eight times a year,
from May to December inclusively

Legend:

| | |
|---|---|
| * | Less than half of the smallest unit used. |
| - | Nil |
| # | Because there are less than three buyers involved in this fishery, these data are confidential and cannot be published. |
| N/A | Not Applicable |
| N/AV | Not Available |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | 2001 (final) June Qty. | 2001 (final) June Value | 2001 (final) Cumulative Qty. | 2001 (final) Cumulative Value | 2002 (preliminary) June Qty. | 2002 (preliminary) June Value | 2002 (preliminary) Cumulative Qty. | 2002 (preliminary) Cumulative Value | Variation (%) of Cumulative Qty. | Variation (%) of Cumulative Value |
|---|---|---|---|---|---|---|---|---|---|---|
| Cod | 417 | 567 | 739 | 1 009 | 227 | 219 | 337 | 322 | - 54 | - 68 |
| Haddock | - | - | * | * | * | * | * | * | - 96 | - 98 |
| Redfish | 151 | 123 | 237 | 199 | 31 | 22 | 32 | 22 | - 87 | - 89 |
| Atlantic halibut | 57 | 288 | 124 | 647 | 43 | 185 | 89 | 382 | - 28 | - 41 |
| American plaice | 17 | 16 | 64 | 55 | 15 | 10 | 30 | 20 | - 53 | - 64 |
| Greysole (Witch) | 6 | 4 | 15 | 12 | 1 | 1 | 1 | 1 | - 92 | - 92 |
| Winter flounder | 74 | 47 | 166 | 111 | 33 | 17 | 85 | 51 | - 48 | - 54 |
| Greenland halibut | 140 | 298 | 210 | 446 | 66 | 149 | 115 | 248 | - 45 | - 44 |
| Unspecified flounders | - | - | - | - | 6 | - | 8 | - | N/A | - |
| White hake | 5 | 3 | 6 | 3 | 6 | 4 | 7 | 4 | 27 | 22 |
| Catfish | 3 | 1 | 4 | 1 | 3 | 1 | 4 | 2 | - 9 | 22 |
| Other Groundfish | 111 | 75 | 291 | 202 | 77 | 36 | 180 | 95 | - 38 | - 53 |
| Total Groundfish | 981 | 1 423 | 1 856 | 2 685 | 508 | 642 | 889 | 1 147 | - 52 | - 57 |
| Herring | 97 | 34 | 3 132 | 620 | 67 | 34 | 335 | 165 | - 89 | - 73 |
| Mackerel | 83 | 56 | 83 | 56 | 24 | 19 | 24 | 19 | - 71 | - 66 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Eel | - | - | - | - | - | - | * | - | N/A | - |
| Salmon | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | 4 | 12 | 7 | 13 | * | * | 2 | * | - 73 | - 97 |
| Total Pelagic and Esturial fish | 185 | 102 | 3 222 | 689 | 92 | 53 | 361 | 185 | - 89 | - 73 |
| Soft shell clam | 143 | 252 | 722 | 1 273 | - | - | 96 | 209 | - 87 | - 84 |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Mussel | - | - | - | - | - | - | - | - | - | - |
| Scallop | 276 | 401 | 690 | 1 041 | 180 | 237 | 400 | 544 | - 42 | - 48 |
| Whelk | 287 | 235 | 551 | 453 | 130 | 106 | 320 | 253 | - 42 | - 44 |
| Lobster | 1 429 | 18 454 | 3 211 | 41 475 | 1 536 | 20 790 | 2 713 | 36 558 | - 16 | - 12 |
| Shrimp | 557 | 717 | 5 650 | 7 776 | 3 478 | 4 530 | 8 069 | 10 805 | 43 | 39 |
| Snow crab | 2 693 | 11 977 | 13 026 | 58 633 | 3 454 | 15 562 | 16 585 | 73 829 | 27 | 26 |
| Other Molluscs and Crustaceans | 43 | 31 | 80 | 60 | 82 | 57 | 111 | 77 | 39 | 28 |
| Total Molluscs and Crustaceans | 5 427 | 32 067 | 23 930 | 110 711 | 8 861 | 41 282 | 28 294 | 122 275 | 18 | 10 |
| Other Item | 17 | 48 | 38 | 95 | 1 | 5 | 2 | 7 | - 93 | - 92 |
| Total | 6 610 | 33 640 | 29 047 | 114 180 | 9 462 | 41 982 | 29 546 | 123 614 | 2 | 8 |

SUB-AREA OF MARITIME FISHERIES IN THE QUEBEC REGION



QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JUNE 2002
QUEBEC REGION

********************
* PRELIMINARY *
********************

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | 38 | 44 | 298 | 278 | 0 | 0 | 337 | 322 |
| Haddock | 0 | 0 | * | * | 0 | 0 | * | * |
| Redfish | * | * | 32 | 22 | 0 | 0 | 32 | 22 |
| Atlantic halibut | 6 | 19 | 83 | 363 | 0 | 0 | 89 | 382 |
| American plaice | 1 | 1 | 29 | 19 | 0 | 0 | 30 | 20 |
| Greysole (Witch) | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 1 |
| Winter flounder | 38 | 26 | 48 | 25 | 0 | 0 | 85 | 51 |
| Greenland halibut | 24 | 55 | 92 | 193 | 0 | 0 | 115 | 248 |
| Unspecified flounders | 2 | 0 | 6 | 0 | 0 | 0 | 8 | 0 |
| White hake | * | * | 7 | 4 | 0 | 0 | 7 | 4 |
| Catfish | * | * | 4 | 1 | 0 | 0 | 4 | 2 |
| Other Groundfish | 33 | 19 | 146 | 76 | 0 | 0 | 180 | 95 |
| Total Groundfish | 142 | 164 | 747 | 983 | 0 | 0 | 889 | 1 147 |
| Herring | 148 | 68 | 187 | 97 | * | * | 335 | 165 |
| Mackerel | 8 | 6 | 17 | 13 | 0 | 0 | 24 | 19 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | * | 0 | 0 | 0 | * | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 2 | * | 0 | 0 | 2 | * |
| Total Pelagic and Estuarial fish | 155 | 74 | 206 | 110 | * | * | 361 | 185 |
| Soft shell clam | 96 | 209 | 0 | 0 | 0 | 0 | 96 | 209 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 62 | 70 | 338 | 474 | 0 | 0 | 400 | 544 |
| Whelk | 97 | 83 | 223 | 171 | 0 | 0 | 320 | 253 |
| Lobster | 1 444 | 19 378 | 1 269 | 17 180 | 0 | 0 | 2 713 | 36 558 |
| Shrimp | 0 | 0 | 6 352 | 8 561 | 1 717 | 2 244 | 8 069 | 10 805 |
| Snow crab | 1 127 | 5 049 | 15 457 | 68 780 | 0 | 0 | 16 585 | 73 829 |
| Other Molluscs and Crustaceans | 75 | 55 | 36 | 21 | 0 | 0 | 111 | 77 |
| Total Molluscs and Crustaceans | 2 902 | 24 844 | 23 675 | 95 187 | 1 717 | 2 244 | 28 294 | 122 275 |
| Other items | 2 | 7 | 1 | 1 | 0 | 0 | 2 | 7 |
| Total | 3 201 | 25 089 | 24 628 | 96 281 | 1 717 | 2 244 | 29 546 | 123 614 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING BY SPECIES IN 2002
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Quantity(metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 42 | 68 | 227 |
| Haddock | 0 | 0 | 0 | * | 0 | * |
| Redfish | 0 | 0 | 0 | 1 | * | 31 |
| Atlantic halibut | 0 | 0 | 0 | 9 | 36 | 43 |
| American plaice | 0 | 0 | 0 | 5 | 10 | 15 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 1 | 1 |
| Winter flounder | 0 | 0 | 0 | 4 | 49 | 33 |
| Greenland halibut | 0 | 0 | 0 | 17 | 33 | 66 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 2 | 6 |
| White hake | 0 | 0 | 0 | * | 1 | 6 |
| Catfish | 0 | 0 | 0 | * | * | 3 |
| Other Groundfish | 0 | 0 | 0 | 4 | 99 | 77 |
| Total Groundfish | 0 | 0 | 0 | 81 | 300 | 508 |
| Herring | 0 | 0 | 0 | 134 | 134 | 67 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 24 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | 0 | 0 | * | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Esturial fish | 0 | 0 | 0 | * | 1 | * |
| Total Pelagic and Esturial fish | 0 | 0 | 0 | 135 | 135 | 92 |
| Soft shell clam | 2 | 0 | 52 | 42 | 1 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | * | 0 | 0 | 58 | 162 | 180 |
| Whelk | 0 | 0 | 0 | 85 | 105 | 130 |
| Lobster | 0 | 0 | 0 | 104 | 1 073 | 1 536 |
| Shrimp | 0 | 0 | 0 | 1 838 | 2 752 | 3 478 |
| Snow crab | 0 | 0 | 83 | 5 770 | 7 278 | 3 454 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | * | 29 | 82 |
| Total Molluscs and Crustaceans | 2 | 0 | 135 | 7 896 | 11 400 | 8 861 |
| Other items | * | 0 | 0 | 0 | 1 | 1 |
| Total | 0 | 0 | 135 | 8 111 | 11 835 | 9 462 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING BY SPECIES IN 2002
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Quantity(metric tons, round weight)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 33? |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 32 |
| 0 | 0 | 0 | 0 | 0 | 0 | 89 |
| 0 | 0 | 0 | 0 | 0 | 0 | 30 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 85 |
| 0 | 0 | 0 | 0 | 0 | 0 | 115 |
| 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 0 | 0 | 0 | 0 | 0 | 0 | 180 |
| 0 | 0 | 0 | 0 | 0 | 0 | 889 |
| 0 | 0 | 0 | 0 | 0 | 0 | 335 |
| 0 | 0 | 0 | 0 | 0 | 0 | 24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | 361 |
| 0 | 0 | 0 | 0 | 0 | 0 | 96 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 400 |
| 0 | 0 | 0 | 0 | 0 | 0 | 320 |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 713 |
| 0 | 0 | 0 | 0 | 0 | 0 | 8 069 |
| 0 | 0 | 0 | 0 | 0 | 0 | 16 585 |
| 0 | 0 | 0 | 0 | 0 | 0 | 111 |
| 0 | 0 | 0 | 0 | 0 | 0 | 28 294 |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | 29 546 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS IN 2002
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Value ('000$)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 39 | 64 | 219 |
| Haddock | 0 | 0 | 0 | * | 0 | * |
| Redfish | 0 | 0 | 0 | * | * | 22 |
| Atlantic halibut | 0 | 0 | 0 | 39 | 158 | 185 |
| American plaice | 0 | 0 | 0 | 3 | 7 | 10 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | * | 1 |
| Winter flounder | 0 | 0 | 0 | 3 | 31 | 17 |
| Greenland halibut | 0 | 0 | 0 | 33 | 67 | 149 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | * | 1 | 4 |
| Catfish | 0 | 0 | 0 | * | * | 1 |
| Other Groundfish | 0 | 0 | 0 | 2 | 57 | 36 |
| Total Groundfish | 0 | 0 | 0 | 118 | 387 | 642 |
| Herring | 0 | 0 | 0 | 66 | 65 | 34 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 19 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Esturial fish | 0 | 0 | 0 | * | * | * |
| Total Pelagic and Esturial fish | 0 | 0 | 0 | 67 | 65 | 53 |
| Soft shell clam | 3 | 0 | 112 | 92 | 2 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 1 | 0 | 0 | 98 | 209 | 237 |
| Whelk | 0 | 0 | 0 | 64 | 82 | 106 |
| Lobster | 0 | 0 | 0 | 1 318 | 14 450 | 20 790 |
| Shrimp | 0 | 0 | 0 | 2 550 | 3 725 | 4 530 |
| Snow crab | 0 | 0 | 354 | 25 556 | 32 356 | 15 562 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | * | 20 | 57 |
| Total Molluscs and Crustaceans | 4 | 0 | 466 | 29 678 | 50 844 | 41 282 |
| Other Items | * | 0 | 0 | 0 | 3 | 5 |
| Total | 4 | 0 | 466 | 29 862 | 51 299 | 41 982 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS IN 2002
QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Value ('000$)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 322 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 22 |
| 0 | 0 | 0 | 0 | 0 | 0 | 382 |
| 0 | 0 | 0 | 0 | 0 | 0 | 20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 248 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | 95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 147 |
| 0 | 0 | 0 | 0 | 0 | 0 | 165 |
| 0 | 0 | 0 | 0 | 0 | 0 | 19 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 185 |
| 0 | 0 | 0 | 0 | 0 | 0 | 209 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 544 |
| 0 | 0 | 0 | 0 | 0 | 0 | 253 |
| 0 | 0 | 0 | 0 | 0 | 0 | 36 558 |
| 0 | 0 | 0 | 0 | 0 | 0 | 10 805 |
| 0 | 0 | 0 | 0 | 0 | 0 | 73 829 |
| 0 | 0 | 0 | 0 | 0 | 0 | 77 |
| 0 | 0 | 0 | 0 | 0 | 0 | 122 275 |
| 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 123 614 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2001 (final) June Qty | 2001 (final) June Value | 2001 (final) Cumulative Qty | 2001 (final) Cumulative Value | 2002 (preliminary) June Qty | 2002 (preliminary) June Value | 2002 (preliminary) Cumulative Qty | 2002 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Gill net | 2 | 3 | 3 | 4 | 100 | 104 | 104 | 104 |
| Setheared hooks | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| Longline | 131 | 198 | 359 | 524 | 45 | 52 | 72 | 83 |
| Pot | * | * | * | * | * | * | * | * |
| Fixed gear | 0 | 0 | 0 | 0 | 7 | 8 | 7 | 8 |
| Bottom otter trawl (stern) | 188 | 256 | 267 | 356 | 48 | 30 | 118 | 94 |
| Shrimp trawl | 0 | 0 | * | * | 0 | 0 | * | * |
| Danish seine | 57 | 71 | 57 | 71 | 9 | 8 | 9 | 8 |
| Scottish seine | 37 | 37 | 51 | 52 | 17 | 16 | 27 | 25 |
| Species total | 417 | 567 | 739 | 1 009 | 227 | 219 | 337 | 322 |
| Redfish | | | | | | | | |
| Gill net | 1 | 1 | 1 | 1 | * | * | * | * |
| Longline | * | * | * | * | * | * | 1 | * |
| Fixed gear | 0 | 0 | 0 | 0 | * | * | * | * |
| Bottom otter trawl (stern) | 149 | 123 | 235 | 197 | 30 | 21 | 31 | 22 |
| Shrimp trawl | 0 | 0 | 0 | 0 | * | * | * | * |
| Species total | 151 | 123 | 237 | 199 | 31 | 22 | 32 | 22 |
| American plaice | | | | | | | | |
| Gill net | 4 | 4 | 7 | 7 | 2 | 1 | 3 | 2 |
| Longline | * | * | * | * | * | * | * | * |
| Fixed gear | 0 | 0 | 0 | 0 | * | * | * | * |
| Bottom otter trawl (stern) | 3 | 2 | 10 | 7 | 9 | 5 | 15 | 7 |
| Danish seine | 1 | 1 | 1 | 1 | * | * | * | * |
| Scottish seine | 9 | 9 | 46 | 40 | 4 | 4 | 13 | 10 |
| Species total | 17 | 16 | 64 | 55 | 15 | 10 | 30 | 20 |
| Greenland halibut | | | | | | | | |
| Gill net | 120 | 256 | 169 | 363 | 55 | 126 | 76 | 162 |
| Longline | 11 | 21 | 24 | 49 | 2 | 4 | 10 | 20 |
| Fixed gear | 0 | 0 | 0 | 0 | 2 | 5 | 8 | 18 |
| Bottom otter trawl (stern) | 10 | 20 | 17 | 35 | 5 | 12 | 21 | 47 |
| Shrimp trawl | 0 | 0 | * | * | * | 1 | 1 | 1 |
| Species total | 140 | 298 | 210 | 446 | 66 | 149 | 115 | 248 |
| Unspecified groundfish | | | | | | | | |
| Gill net | 27 | 45 | 64 | 83 | 12 | 21 | 39 | 67 |
| Longline | 54 | 251 | 117 | 585 | 39 | 160 | 70 | 310 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2001 (final) June Qty | 2001 (final) June Value | 2001 (final) Cumulative Qty | 2001 (final) Cumulative Value | 2002 (preliminary) June Qty | 2002 (preliminary) June Value | 2002 (preliminary) Cumulative Qty | 2002 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Japanese trap | 0 | 0 | 0 | 0 | 0 | 0 | * | * |
| Fixed gear | 0 | 0 | 0 | 0 | 1 | 7 | 2 | 7 |
| Bottom otter trawl (stern) | 56 | 44 | 141 | 111 | 24 | 2 | 86 | 47 |
| Shrimp trawl | 0 | 0 | 1 | 3 | * | * | 1 | 2 |
| Scottish seine | 118 | 78 | 284 | 195 | 93 | 52 | 178 | 102 |
| Species total | 256 | 418 | 606 | 977 | 169 | 243 | 374 | 535 |
| **Total Groundfish** | **981** | **1 423** | **1 856** | **2 685** | **508** | **642** | **889** | **1 147** |
| Herring | | | | | | | | |
| Gill net | 97 | 34 | 3 131 | 620 | 67 | 34 | 334 | 165 |
| Bottom otter trawl (stern) | 0 | 0 | 0 | 0 | * | * | * | * |
| Shrimp trawl | 0 | 0 | * | * | 0 | 0 | 1 | * |
| Species total | 97 | 34 | 3 132 | 620 | 67 | 34 | 335 | 165 |
| Mackerel | | | | | | | | |
| Gill net | 83 | 56 | 83 | 56 | 24 | 19 | 24 | 19 |
| Species total | 83 | 56 | 83 | 56 | 24 | 19 | 24 | 19 |
| Unspecified, other fish | | | | | | | | |
| Gill net | 3 | 12 | 3 | 12 | * | * | * | * |
| Longline | * | * | * | * | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | * | * | 3 | 1 | * | * | 1 | * |
| Scottish seine | * | * | * | * | 0 | 0 | 0 | 0 |
| Species total | 4 | 12 | 7 | 13 | * | * | 2 | * |
| **Total Pelagic and Estuarial fish** | **185** | **102** | **3 222** | **689** | **92** | **53** | **361** | **185** |
| Scallop | | | | | | | | |
| Drag | 276 | 401 | 690 | 1 041 | 180 | 237 | 400 | 544 |
| Species total | 276 | 401 | 690 | 1 041 | 180 | 237 | 400 | 544 |
| Lobster | | | | | | | | |
| Pot | 1 429 | 18 454 | 3 211 | 41 475 | 1 536 | 20 790 | 2 713 | 36 558 |
| Species total | 1 429 | 18 454 | 3 211 | 41 475 | 1 536 | 20 790 | 2 713 | 36 558 |
| Shrimp | | | | | | | | |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

REGIONAL SUMMARY

*Quantity (metric tons, round weight), value ('000$)*
(Excluding non commercial fisheries)

| Species / Gear | 2001 (final) June Qty | 2001 (final) June Value | 2001 (final) Cumulative Qty | 2001 (final) Cumulative Value | 2002 (preliminary) June Qty | 2002 (preliminary) June Value | 2002 (preliminary) Cumulative Qty | 2002 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Shrimp trawl | 557 | 717 | 5 650 | 7 776 | 3 478 | 4 530 | 8 069 | 10 805 |
| Species total | 557 | 717 | 5 650 | 7 776 | 3 478 | 4 530 | 8 069 | 10 805 |
| Snow crab | | | | | | | | |
| Japanese trap | 1 057 | 4 541 | 3 682 | 16 129 | 932 | 4 135 | 4 040 | 17 756 |
| Conical trap | 1 624 | 7 378 | 9 203 | 41 859 | 2 435 | 11 043 | 11 906 | 53 235 |
| Pyramidal trap | 8 | 43 | 85 | 397 | 20 | 91 | 261 | 1 170 |
| Mix of trap - crab | 3 | 16 | 56 | 248 | 67 | 294 | 378 | 1 667 |
| Species total | 2 693 | 11 977 | 13 026 | 58 633 | 3 454 | 15 562 | 16 585 | 73 829 |
| Unspecified crustaeans | | | | | | | | |
| Trap | 287 | 235 | 551 | 453 | 130 | 106 | 320 | 253 |
| Pot | 43 | 31 | 74 | 50 | 83 | 57 | 111 | 77 |
| Rakes & tongs | 143 | 252 | 722 | 1 273 | 0 | 0 | 96 | 209 |
| Drag | 0 | 0 | 5 | 10 | 0 | 0 | 0 | 0 |
| Species total | 473 | 517 | 1 353 | 1 786 | 213 | 163 | 527 | 539 |
| **Total Molluscs et Crustaceans** | **5 427** | **32 067** | **23 930** | **110 711** | **8 861** | **41 282** | **28 294** | **122 275** |
| Unspecified items | | | | | | | | |
| Miscellaneous | 0 | 0 | 18 | 39 | 0 | 0 | * | * |
| Gill net | 17 | 48 | 19 | 55 | 1 | 5 | 2 | 7 |
| Species total | 17 | 48 | 38 | 95 | 1 | 5 | 2 | 7 |
| **Quebec region total :** | **6 610** | **33 640** | **29 047** | **114 130** | **9 462** | **41 982** | **29 546** | **123 614** |

## Monthly landings in metric tons in province of Québec



## Monthly landings value in thousands of dollars in province of Québec



QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

UPPER NORTH-SHORE

TADOUSSAC TO GALLIX

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2001 (final) | | | | 2002 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | - | - | - | - | - | - | * | * | N/A | N/A |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | - | - | * | * | - | - | - | - | N/A | N/A |
| Atlantic halibut | 2 | 15 | 9 | 58 | - | - | 2 | 6 | - 73 | -89 |
| American plaice | * | * | * | * | * | * | * | * | - 88 | -92 |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 6 | 13 | 7 | 16 | 1 | - | 3 | - | - 66 | -100 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | - | - | - | - | * | * | * | * | N/A | N/A |
| Catfish | - | - | - | - | - | - | - | - | - | - |
| Other Groundfish | * | - | * | - | - | - | - | - | N/A | N/A |
| Total Groundfish | 9 | 28 | 17 | 74 | 1 | * | 5 | 6 | - 69 | - 91 |
| Herring | 6 | 3 | 60 | 36 | 3 | 2 | 53 | 29 | - 12 | -18 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Eel | - | - | - | - | - | - | - | - | - | - |
| Salmon | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | - | - | - | - | - | - | - | - | - | - |
| Total Pelagic and Esturial fish | 6 | 3 | 60 | 36 | 3 | 2 | 53 | 29 | - 12 | - 18 |
| Soft shell clam | 137 | 241 | 701 | 1 237 | - | - | 96 | 209 | - 86 | -83 |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Mussel | - | - | - | - | - | - | - | - | - | - |
| Scallop | - | - | - | - | - | - | - | - | - | - |
| Whelk | 91 | 77 | 249 | 209 | 29 | 24 | 133 | 111 | - 47 | -47 |
| Lobster | - | - | - | - | - | - | - | - | - | - |
| Shrimp | 1 | 2 | 98 | 296 | - | - | 62 | 185 | - 37 | -38 |
| Snow crab | 219 | 1 011 | 1 620 | 7 433 | 351 | 1 557 | 1 674 | 7 417 | 3 | 0 |
| Other Molluscs and Crustaceans | - | - | - | - | - | - | - | - | - | - |
| Total Molluscs and Crustaceans | 447 | 1 331 | 2 668 | 9 176 | 379 | 1 581 | 1 964 | 7 922 | - 26 | - 14 |
| Other Item | - | - | - | - | - | - | * | * | N/A | N/A |
| Total | 462 | 1 363 | 2 745 | 9 285 | 384 | 1 583 | 2 023 | 7 958 | - 26 | - 14 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

MIDDLE NORTH-SHORE

SEPT-ILES TO POINTE-PARENT, INCLUDING ANTICOSTI ISLAND

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2001 (final) | | | | 2002 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | * | 1 | 1 | 1 | * | - | 3 | - | 444 | -100 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | - | - | - | - | * | * | * | * | N/A | N/A |
| Atlantic halibut | 3 | 17 | 14 | 88 | 3 | * | 9 | 4 | - 35 | -95 |
| American plaice | * | * | * | * | - | - | * | - | 203 | -100 |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | * | 1 | * | 1 | * | - | 4 | 1 | 814 | -14 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | - | - | - | - | - | - | - | - | - | - |
| Catfish | - | - | - | - | * | * | * | * | N/A | N/A |
| Other Groundfish | - | - | - | - | - | - | * | * | N/A | N/A |
| Total Groundfish | 4 | 19 | 15 | 90 | 4 | * | 16 | 5 | 7 | - 95 |
| Herring | 14 | 8 | 48 | 25 | 24 | 18 | 31 | 22 | - 34 | -11 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Eel | - | - | - | - | - | - | * | - | N/A | N/A |
| Salmon | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | - | - | - | - | * | * | * | * | N/A | N/A |
| Total Pelagic and Esturial fish | 14 | 8 | 48 | 25 | 25 | 18 | 32 | 22 | - 33 | - 11 |
| Soft shell clam | 6 | 11 | 6 | 11 | - | - | - | - | N/A | N/A |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Mussel | - | - | - | - | - | - | - | - | - | - |
| Scallop | 188 | 255 | 408 | 552 | 130 | 147 | 254 | 286 | - 38 | -48 |
| Whelk | 151 | 127 | 212 | 178 | 76 | 66 | 108 | 93 | - 49 | -48 |
| Lobster | 23 | 296 | 32 | 402 | 25 | 348 | 33 | 466 | 4 | 16 |
| Shrimp | 5 | 13 | 112 | 307 | 3 | 5 | 144 | 288 | 28 | -6 |
| Snow crab | 1 022 | 4 614 | 3 482 | 15 516 | 1 013 | 4 541 | 4 027 | 17 827 | 16 | 15 |
| Other Molluscs and Crustaceans | - | - | - | - | - | - | - | - | - | - |
| Total Molluscs and Crustaceans | 1 395 | 5 317 | 4 253 | 16 966 | 1 247 | 5 107 | 4 566 | 18 960 | 7 | 12 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 1 413 | 5 343 | 4 315 | 17 080 | 1 275 | 5 126 | 4 613 | 18 987 | 7 | 11 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

LOWER NORTH-SHORE

KEGASKA TO BLANC-SABLON

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2001 (final) | | | | 2002 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 5 | 6 | 5 | 6 | 3 | 4 | 3 | 4 | - 37 | -30 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | - | - | - | - | - | - | - | - | - | - |
| Atlantic halibut | 2 | 11 | 2 | 11 | 4 | 7 | 4 | 7 | 89 | -41 |
| American plaice | - | - | - | - | - | - | - | - | - | - |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | * | * | * | * | * | * | * | * | - 92 | -91 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | - | - | - | - | - | - | - | - | - | - |
| Catfish | - | - | - | - | 2 | 1 | 2 | 1 | N/A | N/A |
| Other Groundfish | - | - | - | - | - | - | - | - | - | - |
| Total Groundfish | 8 | 17 | 8 | 17 | 9 | 12 | 9 | 12 | 21 | - 33 |
| Herring | 18 | 4 | 18 | 4 | 17 | 4 | 17 | 4 | - 8 | -3 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Eel | - | - | - | - | - | - | - | - | - | - |
| Salmon | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | 1 | * | 1 | - | - | - | - | N/A | N/A |
| Total Pelagic and Esturial fish | 19 | 6 | 19 | 6 | 17 | 4 | 17 | 4 | - 10 | - 26 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Mussel | - | - | - | - | - | - | - | - | - | - |
| Scallop | 7 | 9 | 14 | 20 | - | - | 2 | 2 | - 89 | -88 |
| Whelk | - | - | - | - | * | * | * | * | N/A | N/A |
| Lobster | 22 | 227 | 32 | 338 | 10 | 113 | 12 | 130 | - 64 | -62 |
| Shrimp | 258 | 283 | 282 | 313 | 347 | 445 | 366 | 471 | 30 | 51 |
| Snow crab | 654 | 2 618 | 1 294 | 5 088 | 541 | 2 386 | 1 265 | 5 603 | - 2 | 10 |
| Other Molluscs and Crustaceans | - | - | - | - | - | - | - | - | - | - |
| Total Molluscs and Crustaceans | 941 | 3 138 | 1 623 | 5 758 | 898 | 2 944 | 1 645 | 6 207 | 1 | 8 |
| Other Item | 17 | 48 | 19 | 55 | 1 | 5 | 2 | 7 | - 89 | -87 |
| Total | 985 | 3 209 | 1 669 | 5 837 | 926 | 2 964 | 1 674 | 6 230 | 0 | 7 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2001 (final) | | | | 2002 (preliminary) | | | | Variation (%) of cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 6 | 6 | 6 | 6 | 3 | 4 | 6 | 4 | 12 | - 36 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | - | - | * | * | * | * | * | * | N/A | N/A |
| Atlantic halibut | 7 | 44 | 25 | 157 | 8 | 7 | 16 | 17 | - 37 | - 89 |
| American plaice | * | * | * | * | * | * | * | * | - 74 | - 93 |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 7 | 14 | 8 | 17 | 1 | * | 6 | 1 | - 23 | - 95 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | - | - | - | - | * | * | * | * | N/A | N/A |
| Catfish | - | - | - | - | 2 | 1 | 2 | 1 | N/A | N/A |
| Other Groundfish | * | - | * | - | - | - | * | * | N/A | N/A |
| Total Groundfish | 20 | 64 | 39 | 181 | 14 | 12 | 30 | 23 | - 22 | - 87 |
| Herring | 39 | 16 | 126 | 65 | 45 | 25 | 101 | 56 | - 20 | - 14 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Eel | - | - | - | - | - | - | * | - | N/A | N/A |
| Salmon | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | 1 | * | 1 | * | * | * | * | - 49 | - 97 |
| Total Pelagic and Esturial fish | 40 | 17 | 127 | 66 | 45 | 25 | 101 | 56 | - 20 | - 16 |
| Soft shell clam | 143 | 252 | 708 | 1 248 | - | - | 96 | 209 | - 86 | - 83 |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Mussel | - | - | - | - | - | - | - | - | - | - |
| Scallop | 195 | 264 | 422 | 572 | 130 | 147 | 255 | 289 | - 39 | - 50 |
| Whelk | 242 | 204 | 461 | 388 | 105 | 90 | 241 | 204 | - 48 | - 47 |
| Lobster | 45 | 523 | 64 | 741 | 35 | 461 | 45 | 596 | - 30 | - 20 |
| Shrimp | 263 | 299 | 492 | 916 | 349 | 450 | 572 | 944 | 16 | 3 |
| Snow crab | 1 895 | 8 243 | 6 396 | 28 036 | 1 905 | 8 484 | 6 967 | 30 847 | 9 | 10 |
| Other Molluscs and Crustaceans | - | - | - | - | - | - | - | - | - | - |
| Total Molluscs and Crustaceans | 2 784 | 9 786 | 8 544 | 31 900 | 2 525 | 9 632 | 8 175 | 33 089 | - 4 | 4 |
| Other Item | 17 | 48 | 19 | 55 | 1 | 5 | 2 | 7 | - 87 | - 87 |
| Total | 2 860 | 9 915 | 8 729 | 32 202 | 2 585 | 9 674 | 8 310 | 33 175 | - 5 | 3 |

QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JUNE 2002
QUEBEC REGION

* PRELIMINARY *

NORTH SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | 2 | 2 | 5 | 2 | 0 | 0 | 6 | 4 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | * | * | 0 | 0 | * | * |
| Atlantic halibut | 3 | 6 | 13 | 11 | 0 | 0 | 16 | 17 |
| American plaice | 0 | 0 | * | * | 0 | 0 | * | * |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | * | 0 | 6 | 1 | 0 | 0 | 6 | 1 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | * | * | 0 | 0 | 0 | 0 | * | * |
| Catfish | 0 | 0 | 2 | 1 | 0 | 0 | 2 | 1 |
| Other Groundfish | 0 | 0 | * | * | 0 | 0 | * | * |
| Total Groundfish | 5 | 8 | 26 | 15 | 0 | 0 | 30 | 23 |
| Herring | 30 | 13 | 71 | 43 | 0 | 0 | 101 | 56 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | * | 0 | 0 | 0 | * | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | * | * | 0 | 0 | * | * |
| Total Pelagic and Estuarial fish | 30 | 13 | 71 | 43 | 0 | 0 | 101 | 56 |
| Soft shell clam | 96 | 209 | 0 | 0 | 0 | 0 | 96 | 209 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 62 | 70 | 194 | 218 | 0 | 0 | 255 | 289 |
| Whelk | 85 | 74 | 156 | 130 | 0 | 0 | 241 | 204 |
| Lobster | 18 | 222 | 27 | 375 | 0 | 0 | 45 | 596 |
| Shrimp | 0 | 0 | 458 | 802 | 114 | 143 | 572 | 944 |
| Snow crab | 582 | 2 591 | 6 384 | 28 256 | 0 | 0 | 6 967 | 30 847 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Molluscs and Crustaceans | 844 | 3 166 | 7 218 | 29 781 | 114 | 143 | 8 175 | 33 089 |
| Other items | 2 | 7 | 1 | 1 | 0 | 0 | 2 | 7 |
| Total | 881 | 3 193 | 7 315 | 29 839 | 114 | 143 | [illegible]0 | 33 175 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

********************
* PRELIMINARY *
********************

NORTH-SHORE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | * | 3 | 3 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | * | 0 | * |
| Atlantic halibut | 0 | 0 | 0 | 2 | 6 | 8 |
| American plaice | 0 | 0 | 0 | * | * | * |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 0 | 0 | 0 | 2 | 3 | 1 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | * |
| Catfish | 0 | 0 | 0 | 0 | * | 2 |
| Other Groundfish | 0 | 0 | 0 | * | * | 0 |
| Total Groundfish | 0 | 0 | 0 | 5 | 12 | 14 |
| Herring | 0 | 0 | 0 | 27 | 29 | 45 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | 0 | 0 | * | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | * |
| Total Pelagic and Estuarial fish | 0 | 0 | 0 | 27 | 30 | 45 |
| Soft shell clam | 2 | 0 | 52 | 42 | 1 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 0 | 125 | 130 |
| Whelk | 0 | 0 | 0 | 55 | 81 | 105 |
| Lobster | 0 | 0 | 0 | 0 | 9 | 35 |
| Shrimp | 0 | 0 | 0 | 126 | 97 | 349 |
| Snow crab | 0 | 0 | 33 | 2 140 | 2 889 | 1 905 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Molluscs et Crustaceans | 2 | 0 | 84 | 2 362 | 3 202 | 2 525 |
| Other items | * | 0 | 0 | 0 | 1 | 1 |
| Total | 2 | 0 | 84 | 2 394 | 3 244 | 2 585 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

********************
* PRELIMINARY *
********************

NORTH-SHORE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| | JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|---|
| * | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| * | 0 | 0 | 0 | 0 | 0 | 0 | 16 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 6 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | 30 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 101 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | 101 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 96 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 255 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 241 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 45 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 572 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 6 967 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| * | 0 | 0 | 0 | 0 | 0 | 0 | 8 175 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| * | 0 | 0 | 0 | 0 | 0 | 0 | 8 310 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

* PRELIMINARY *

NORTH-SHORE

Value ('000)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 0 | * | 4 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | * | 0 | * |
| Atlantic halibut | 0 | 0 | 0 | 6 | 4 | 7 |
| American plaice | 0 | 0 | 0 | 0 | 0 | * |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 0 | 0 | 0 | 0 | 1 | * |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | * |
| Catfish | 0 | 0 | 0 | 0 | * | 1 |
| Other Groundfish | 0 | 0 | 0 | * | * | 0 |
| Total Groundfish | 0 | 0 | 0 | 6 | 5 | 12 |
| Herring | 0 | 0 | 0 | 15 | 16 | 25 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | * |
| Total Pelagic and Estuarial fish | 0 | 0 | 0 | 15 | 16 | 25 |
| Soft shell clam | 3 | 0 | 112 | 92 | 2 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 0 | 142 | 147 |
| Whelk | 0 | 0 | 0 | 46 | 68 | 90 |
| Lobster | 0 | 0 | 0 | 0 | 135 | 461 |
| Shrimp | 0 | 0 | 0 | 286 | 208 | 450 |
| Snow crab | 0 | 0 | 131 | 9 455 | 12 777 | 8 484 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Molluscs and Crustaceans | 3 | 0 | 243 | 9 878 | 13 332 | 9 632 |
| Other items | * | 0 | 0 | 0 | 3 | 5 |
| Total | 0 | 0 | 243 | 9 899 | 13 356 | 9 674 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

********************
* PRELIMINARY *
********************

NORTH-SHORE

Value ('000)
(Excluding non commercial fisheries)

| | JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|---|
| * | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| * | 0 | 0 | 0 | 0 | 0 | 0 | 17 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | 23 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 56 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | 56 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 209 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 289 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 204 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 596 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 944 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 30 847 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| * | 0 | 0 | 0 | 0 | 0 | 0 | 33 089 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| * | 0 | 0 | 0 | 0 | 0 | 0 | 33 175 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2001 (final) June Qty | 2001 (final) June Value | 2001 (final) Cumulative Qty | 2001 (final) Cumulative Value | 2002 (preliminary) June Qty | 2002 (preliminary) June Value | 2002 (preliminary) Cumulative Qty | 2002 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Gill net | 2 | 2 | 2 | 2 | 2 | 3 | 6 | 3 |
| Setheared hooks | * | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| Longline | 3 | 3 | 3 | 3 | 1 | 1 | 1 | 1 |
| Species total : | 6 | 6 | 6 | 6 | 3 | 4 | 6 | 4 |
| Redfish | | | | | | | | |
| Gill net | 0 | 0 | * | * | * | * | * | * |
| Species total : | 0 | 0 | * | * | * | * | * | * |
| American plaice | | | | | | | | |
| Gill net | * | * | * | * | * | * | * | * |
| Species total : | * | * | * | * | * | * | * | * |
| Greenland halibut | | | | | | | | |
| Gill net | 6 | 13 | 7 | 16 | 1 | * | 6 | 1 |
| Longline | * | 1 | 1 | 1 | * | * | * | * |
| Species total : | 7 | 14 | 8 | 17 | 1 | * | 6 | 1 |
| OTHER GROUNDFISH | | | | | | | | |
| Gill net | * | 1 | * | 1 | 6 | 1 | 14 | 9 |
| Longline | 7 | 43 | 25 | 156 | 3 | 7 | 4 | 8 |
| Shrimp trawl | 0 | 0 | 0 | 0 | 0 | 0 | * | * |
| Species total : | 7 | 44 | 25 | 157 | 9 | 8 | 18 | 18 |
| **Total Groundfish** | **20** | **64** | **39** | **181** | **14** | **12** | **30** | **23** |
| Herring | | | | | | | | |
| Gill net | 39 | 16 | 126 | 65 | 45 | 25 | 101 | 56 |
| Shrimp trawl | 0 | 0 | 0 | 0 | 0 | 0 | * | * |
| Species total : | 39 | 16 | 126 | 65 | 45 | 25 | 101 | 56 |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | |
| Gill net | * | 1 | * | 1 | * | * | * | * |
| Species total : | * | 1 | * | 1 | * | * | * | * |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2001 (final) June Qty | 2001 (final) June Value | 2001 (final) Cumulative Qty | 2001 (final) Cumulative Value | 2002 (preliminary) June Qty | 2002 (preliminary) June Value | 2002 (preliminary) Cumulative Qty | 2002 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| **Total Pelagic and Estuarial fish** | **40** | **17** | **127** | **66** | **45** | **25** | **101** | **56** |
| Scallop | | | | | | | | |
| Drag | 195 | 264 | 422 | 572 | 130 | 147 | 255 | 289 |
| Species total : | 195 | 264 | 422 | 572 | 130 | 147 | 255 | 289 |
| Lobster | | | | | | | | |
| Pot | 45 | 523 | 64 | 741 | 35 | 461 | 45 | 596 |
| Species total : | 45 | 523 | 64 | 741 | 35 | 461 | 45 | 596 |
| Shrimp | | | | | | | | |
| Shrimp trawl | 263 | 299 | 492 | 916 | 349 | 450 | 572 | 944 |
| Species total : | 263 | 299 | 492 | 916 | 349 | 450 | 572 | 944 |
| Snow crab | | | | | | | | |
| Japanese trap | 965 | 4 128 | 2 652 | 11 556 | 850 | 3 774 | 2 524 | 11 155 |
| Conical trap | 927 | 4 099 | 3 737 | 16 447 | 987 | 4 413 | 4 051 | 17 965 |
| Pyramidal trap | 0 | 0 | 0 | 0 | 1 | 4 | 14 | 61 |
| Mix of trap - crab | 3 | 16 | 8 | 33 | 67 | 294 | 378 | 1 667 |
| Species total : | 1 895 | 8 243 | 6 396 | 28 036 | 1 905 | 8 484 | 6 967 | 30 847 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Trap | 242 | 204 | 461 | 388 | 105 | 90 | 241 | 204 |
| Rakes & tongs | 143 | 252 | 708 | 1 248 | 0 | 0 | 96 | 209 |
| Species total : | 385 | 456 | 1 169 | 1 635 | 105 | 90 | 337 | 413 |
| **Total Molluscs et Crustaceans** | **2 784** | **9 786** | **8 544** | **31 900** | **2 525** | **9 632** | **8 175** | **33 089** |
| OTHER ITEMS | | | | | | | | |
| Miscellaneous | 0 | 0 | 0 | 0 | 0 | 0 | * | * |
| Gill net | 17 | 48 | 19 | 55 | 1 | 5 | 2 | 7 |
| Species total : | 17 | 48 | 19 | 55 | 1 | 5 | 2 | 7 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

NORTH-SHORE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2001 (final) June Qty | 2001 (final) June Value | 2001 (final) Cumulative Qty | 2001 (final) Cumulative Value | 2002 (preliminary) June Qty | 2002 (preliminary) June Value | 2002 (preliminary) Cumulative Qty | 2002 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| **Sector total :** | **2 860** | **9 915** | **8 729** | **32 202** | **2 585** | **9 674** | **8 310** | **33 175** |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPE-NORTH

BIC TO RIVIERE-LA-MADELEINE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2001 (final) | | | | 2002 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 3 | 5 | 4 | 6 | 1 | 3 | 1 | 3 | - 71 | -54 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | 1 | 1 | 2 | 1 | * | * | * | * | - 95 | -94 |
| Atlantic halibut | 1 | 6 | 2 | 10 | 3 | 16 | 4 | 24 | 149 | 152 |
| American plaice | 5 | 5 | 8 | 7 | 1 | 1 | 2 | 2 | - 77 | -79 |
| Greysole (Witch) | * | * | * | * | - | - | - | - | N/A | N/A |
| Winter flounder | * | * | * | * | - | - | - | - | N/A | N/A |
| Greenland halibut | 80 | 173 | 109 | 235 | 40 | 93 | 46 | 105 | - 58 | -55 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | 1 | * | 1 | * | * | * | * | * | - 88 | -90 |
| Catfish | * | * | * | * | * | * | * | * | 37 | 69 |
| Other Groundfish | 1 | * | 1 | * | * | * | * | * | - 67 | -62 |
| Total Groundfish | 93 | 190 | 126 | 261 | 46 | 113 | 53 | 134 | - 58 | - 49 |
| Herring | 10 | 4 | 32 | 18 | 1 | * | 1 | 1 | - 97 | -97 |
| Mackerel | - | - | - | - | - | - | - | - | - | - |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Eel | - | - | - | - | - | - | - | - | - | - |
| Salmon | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | 1 | * | 1 | * | * | * | * | * | - 81 | -79 |
| Total Pelagic and Esturial fish | 11 | 4 | 32 | 18 | 1 | * | 1 | 1 | - 96 | - 97 |
| Soft shell clam | - | - | * | * | - | - | - | - | N/A | N/A |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Mussel | - | - | - | - | - | - | - | - | - | - |
| Scallop | 7 | 14 | 31 | 63 | 3 | 7 | 6 | 12 | - 79 | -81 |
| Whelk | 45 | 31 | 90 | 65 | 25 | 16 | 79 | 49 | - 12 | -25 |
| Lobster | * | 4 | 1 | 16 | * | 6 | * | 6 | - 67 | -61 |
| Shrimp | 293 | 418 | 1 514 | 2 055 | 736 | 916 | 1 863 | 2 433 | 23 | 18 |
| Snow crab | 129 | 574 | 1 676 | 7 415 | 157 | 691 | 1 782 | 7 814 | 6 | 5 |
| Other Molluscs and Crustaceans | 8 | 7 | 8 | 8 | 5 | 3 | 5 | 3 | - 42 | -55 |
| Total Molluscs and Crustaceans | 483 | 1 047 | 3 321 | 9 622 | 926 | 1 639 | 3 736 | 10 317 | 12 | 7 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 586 | 1 242 | 3 480 | 9 900 | 973 | 1 752 | 3 790 | 10 452 | 9 | 6 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPE-EAST

GRANDE VALLÉE TO CAP GASPÉ

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2001 (final) | | | | 2002 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 85 | 127 | 289 | 429 | 78 | 81 | 137 | 142 | -53 | -67 |
| Haddock | - | - | * | * | * | * | * | * | 57 | -42 |
| Redfish | 14 | 9 | 15 | 10 | 13 | 8 | 13 | 8 | -10 | -17 |
| Atlantic halibut | 34 | 168 | 77 | 383 | 22 | 106 | 53 | 262 | -32 | -32 |
| American plaice | * | * | 4 | 3 | * | * | 4 | 2 | -4 | -35 |
| Greysole (Witch) | 2 | 1 | 2 | 1 | * | * | * | * | -94 | -95 |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 39 | 80 | 57 | 117 | 22 | 50 | 50 | 112 | -13 | -5 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | 3 | 2 | 3 | 2 | 5 | 3 | 6 | 3 | 88 | 80 |
| Catfish | 2 | * | 2 | 1 | 1 | * | 1 | * | -44 | -44 |
| Other Groundfish | * | * | * | * | * | * | * | * | -15 | -80 |
| Total Groundfish | 179 | 388 | 449 | 946 | 141 | 248 | 264 | 530 | -41 | -44 |
| Herring | - | - | * | * | - | - | 1 | * | 114 | 103 |
| Mackerel | 3 | 3 | 3 | 3 | - | - | - | - | N/A | N/A |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Eel | - | - | - | - | - | - | - | - | - | - |
| Salmon | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | * | * | * | * | * | * | * | -64 | -78 |
| Total Pelagic and Esturial fish | 4 | 3 | 4 | 3 | * | * | 1 | * | -78 | -95 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Mussel | - | - | - | - | - | - | - | - | - | - |
| Scallop | - | - | - | - | - | - | - | - | - | - |
| Whelk | - | - | - | - | - | - | - | - | - | - |
| Lobster | 31 | 395 | 42 | 534 | 26 | 358 | 36 | 475 | -14 | -11 |
| Shrimp | - | - | 3 644 | 4 806 | 2 393 | 3 164 | 5 634 | 7 427 | 55 | 55 |
| Snow crab | 5 | 20 | 448 | 2 007 | 38 | 168 | 583 | 2 572 | 30 | 28 |
| Other Molluscs and Crustaceans | 15 | 11 | 26 | 19 | 13 | 11 | 19 | 17 | -26 | -8 |
| Total Molluscs and Crustaceans | 50 | 426 | 4 159 | 7 366 | 2 470 | 3 701 | 6 272 | 10 492 | 51 | 42 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 233 | 817 | 4 612 | 8 315 | 2 612 | 3 949 | 6 537 | 11 022 | 42 | 33 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPE-SOUTH

CAP-AUX-OS TO PORT DANIEL

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2001 (final) | | | | 2002 (preliminary) | | | | Variation (%) of Cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 283 | 389 | 333 | 458 | 107 | 101 | 146 | 134 | - 56 | -71 |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | * | * | 1 | 1 | * | * | * | * | - 60 | -65 |
| Atlantic halibut | 14 | 69 | 19 | 92 | 10 | 55 | 15 | 77 | - 21 | -17 |
| American plaice | 3 | 2 | 6 | 4 | 1 | * | 3 | 2 | - 58 | -63 |
| Greysole (Witch) | 3 | 2 | 8 | 4 | - | - | 1 | * | - 91 | -91 |
| Winter flounder | - | - | - | - | - | - | - | - | - | - |
| Greenland halibut | 13 | 29 | 34 | 75 | 2 | 5 | 13 | 30 | - 62 | -60 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - 13 | -9 |
| Catfish | 1 | * | 2 | 1 | * | * | 1 | * | - 69 | -69 |
| Other Groundfish | * | * | * | * | - | - | * | * | - 86 | -66 |
| Total Groundfish | 319 | 492 | 405 | 635 | 121 | 162 | 180 | 244 | - 56 | - 62 |
| Herring | 27 | 7 | 31 | 9 | 6 | 3 | 85 | 40 | 174 | 334 |
| Mackerel | 3 | 2 | 3 | 2 | 1 | * | 1 | * | - 81 | -77 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Eel | - | - | - | - | - | - | - | - | - | - |
| Salmon | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | * | 3 | 1 | - | - | 1 | * | - 61 | -59 |
| Total Pelagic and Esturial fish | 30 | 9 | 37 | 12 | 7 | 3 | 87 | 41 | 132 | 246 |
| Soft shell clam | - | - | 12 | 20 | - | - | - | - | N/A | N/A |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Mussel | - | - | - | - | - | - | - | - | - | - |
| Scallop | 13 | 17 | 46 | 76 | 10 | 20 | 19 | 35 | - 59 | -54 |
| Whelk | - | - | - | - | - | - | - | - | - | - |
| Lobster | 239 | 3 197 | 781 | 10 405 | 259 | 3 590 | 644 | 8 639 | - 18 | -17 |
| Shrimp | - | - | - | - | - | - | - | - | - | - |
| Snow crab | 347 | 1 625 | 2 800 | 13 517 | 843 | 3 718 | 4 722 | 20 816 | 69 | 54 |
| Other Molluscs and Crustaceans | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 24 | 108 |
| Total Molluscs and Crustaceans | 601 | 4 841 | 3 640 | 24 020 | 1 114 | 7 331 | 5 386 | 29 494 | 48 | 23 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 950 | 5 342 | 4 082 | 24 667 | 1 243 | 7 496 | 5 653 | 29 779 | 38 | 21 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

BAIE-DES-CHALEURS

SHIGAWAKE TO MATAPEDIA

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2001 (final) | | | | 2002 (preliminary) | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | Variation (%) of Cumulative | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | - | - | - | - | 8 | 10 | 8 | 10 | N/A | N/A |
| Haddock | - | - | - | - | - | - | - | - | - | - |
| Redfish | - | - | - | - | - | - | - | - | - | - |
| Atlantic halibut | - | - | - | - | - | - | - | - | - | - |
| American plaice | * | * | * | * | * | * | * | * | 563 | 829 |
| Greysole (Witch) | - | - | - | - | - | - | - | - | - | - |
| Winter flounder | - | - | 1 | * | - | - | - | - | N/A | N/A |
| Greenland halibut | - | - | - | - | - | - | - | - | - | - |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | - | - | - | - | - | - | - | - | - | - |
| Catfish | - | - | - | - | - | - | - | - | - | - |
| Other Groundfish | * | * | * | * | * | * | * | * | - 50 | -61 |
| Total Groundfish | * | * | 1 | * | 8 | 11 | 8 | 11 | N/A | N/A |
| Herring | 19 | 7 | 316 | 120 | 14 | 6 | 141 | 66 | - 55 | -45 |
| Mackerel | 44 | 28 | 44 | 28 | 13 | 9 | 13 | 9 | - 70 | -69 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Eel | - | - | - | - | - | - | - | - | - | - |
| Salmon | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | - | - | - | - | - | - | - | - | - | - |
| Total Pelagic and Esturial fish | 63 | 35 | 360 | 149 | 27 | 15 | 154 | 74 | - 57 | - 50 |
| Soft shell clam | - | - | 3 | 5 | - | - | - | - | N/A | N/A |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Mussel | - | - | - | - | - | - | - | - | - | - |
| Scallop | 44 | 76 | 48 | 83 | 8 | 16 | 15 | 28 | - 69 | -66 |
| Whelk | - | - | - | - | - | - | - | - | - | - |
| Lobster | 40 | 515 | 179 | 2 340 | 56 | 774 | 140 | 1 881 | - 22 | -20 |
| Shrimp | - | - | - | - | - | - | - | - | - | - |
| Snow crab | 69 | 312 | 685 | 3 125 | 11 | 49 | 1 108 | 4 850 | 62 | 55 |
| Other Molluscs and Crustaceans | 3 | 2 | 4 | 3 | 7 | 6 | 12 | 11 | 201 | 229 |
| Total Molluscs and Crustaceans | 155 | 905 | 918 | 5 556 | 83 | 845 | 1 275 | 6 769 | 39 | 22 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 219 | 941 | 1 279 | 5 705 | 118 | 870 | 1 437 | 6 854 | 12 | 20 |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2001 (final) | | | | 2002 (preliminary) | | | | Variation (%) of cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 372 | 521 | 626 | 893 | 194 | 195 | 291 | 290 | - 53 | - 68 |
| Haddock | - | - | * | * | * | * | * | * | 57 | - 42 |
| Redfish | 16 | 10 | 18 | 11 | 13 | 8 | 14 | 8 | - 22 | - 25 |
| Atlantic halibut | 49 | 243 | 98 | 485 | 35 | 177 | 73 | 364 | - 26 | - 25 |
| American plaice | 8 | 7 | 18 | 14 | 2 | 2 | 9 | 5 | - 52 | - 64 |
| Greysole (Witch) | 5 | 3 | 10 | 6 | * | * | 1 | * | - 92 | - 92 |
| Winter flounder | * | * | 1 | * | - | - | - | - | N/A | N/A |
| Greenland halibut | 133 | 282 | 201 | 427 | 64 | 148 | 109 | 246 | - 46 | - 42 |
| Unspecified flounders | - | - | - | - | - | - | - | - | - | - |
| White hake | 5 | 3 | 5 | 3 | 6 | 4 | 7 | 4 | 39 | 38 |
| Catfish | 3 | 1 | 4 | 1 | 1 | * | 2 | 1 | - 54 | - 56 |
| Other Groundfish | 1 | * | 1 | 1 | * | * | 1 | * | - 61 | - 69 |
| Total Groundfish | 591 | 1 070 | 981 | 1 842 | 317 | 533 | 506 | 918 | - 48 | - 50 |
| Herring | 56 | 18 | 379 | 147 | 21 | 9 | 227 | 106 | - 40 | - 28 |
| Mackerel | 50 | 34 | 50 | 34 | 14 | 9 | 14 | 9 | - 73 | - 72 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Eel | - | - | - | - | - | - | - | - | - | - |
| Salmon | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | 1 | * | 4 | 1 | * | * | 2 | * | - 65 | - 66 |
| Total Pelagic and Esturial fish | 107 | 52 | 434 | 182 | 35 | 18 | 242 | 116 | - 44 | - 36 |
| Soft shell clam | - | - | 15 | 26 | - | - | - | - | N/A | N/A |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Mussel | - | - | - | - | - | - | - | - | - | - |
| Scallop | 63 | 107 | 125 | 222 | 22 | 42 | 40 | 75 | - 68 | - 66 |
| Whelk | 45 | 31 | 90 | 65 | 25 | 16 | 79 | 49 | - 12 | - 25 |
| Lobster | 311 | 4 111 | 1 003 | 13 295 | 342 | 4 728 | 820 | 11 002 | - 18 | - 17 |
| Shrimp | 293 | 418 | 5 158 | 6 861 | 3 129 | 4 080 | 7 497 | 9 861 | 45 | 44 |
| Snow crab | 550 | 2 531 | 5 608 | 26 065 | 1 049 | 4 626 | 8 194 | 36 052 | 46 | 38 |
| Other Molluscs and Crustaceans | 27 | 22 | 40 | 31 | 26 | 24 | 38 | 34 | - 5 | 11 |
| Total Molluscs and Crustaceans | 1 289 | 7 219 | 12 038 | 46 564 | 4 593 | 13 516 | 16 668 | 57 072 | 38 | 23 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 1 988 | 8 341 | 13 453 | 48 588 | 4 945 | 14 068 | 17 417 | 58 107 | 29 | 20 |

QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JUNE 2002
QUEBEC REGION

* PRELIMINARY *

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | 34 | 40 | 257 | 249 | 0 | 0 | 291 | 290 |
| Haddock | 0 | 0 | * | * | 0 | 0 | * | * |
| Redfish | * | * | 14 | 8 | 0 | 0 | 14 | 8 |
| Atlantic halibut | 3 | 13 | 70 | 351 | 0 | 0 | 73 | 364 |
| American plaice | 1 | 1 | 7 | 4 | 0 | 0 | 9 | 5 |
| Greysole (Witch) | 0 | 0 | 1 | * | 0 | 0 | 1 | * |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 24 | 55 | 85 | 192 | 0 | 0 | 109 | 246 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | * | * | 7 | 4 | 0 | 0 | 7 | 4 |
| Catfish | * | * | 2 | 1 | 0 | 0 | 2 | 1 |
| Other Groundfish | * | * | * | * | 0 | 0 | 1 | * |
| Total Groundfish | 62 | 109 | 444 | 810 | 0 | 0 | 506 | 918 |
| Herring | 111 | 52 | 117 | 54 | * | * | 227 | 106 |
| Mackerel | 8 | 6 | 6 | 3 | 0 | 0 | 14 | 9 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 2 | * | 0 | 0 | 2 | * |
| Total Pelagic and Estuarial fish | 118 | 58 | 124 | 58 | * | * | 242 | 116 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 40 | 75 | 0 | 0 | 40 | 75 |
| Whelk | 12 | 8 | 67 | 41 | 0 | 0 | 79 | 49 |
| Lobster | 720 | 9 616 | 100 | 1 386 | 0 | 0 | 820 | 11 002 |
| Shrimp | 0 | 0 | 5 894 | 7 760 | 1 603 | 2 101 | 7 497 | 9 861 |
| Snow crab | 418 | 1 836 | 7 776 | 34 216 | 0 | 0 | 8 194 | 36 052 |
| Other Molluscs and Crustaceans | 37 | 34 | 1 | * | 0 | 0 | 38 | 34 |
| Total Molluscs and Crustaceans | 1 187 | 11 494 | 13 879 | 43 477 | 1 603 | 2 101 | 16 668 | 57 072 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 1 367 | 11 661 | 14 446 | 44 345 | 1 603 | 2 101 | 17 417 | 58 107 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

* PRELIMINARY *

GASPESIE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 42 | 56 | 194 |
| Haddock | 0 | 0 | 0 | * | 0 | * |
| Redfish | 0 | 0 | 0 | 1 | * | 13 |
| Atlantic halibut | 0 | 0 | 0 | 7 | 30 | 35 |
| American plaice | 0 | 0 | 0 | 5 | 2 | 2 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 1 | * |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 0 | 0 | 0 | 14 | 30 | 64 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | * | 1 | 6 |
| Catfish | 0 | 0 | 0 | * | * | 1 |
| Other Groundfish | 0 | 0 | 0 | * | * | * |
| Total Groundfish | 0 | 0 | 0 | 69 | 121 | 317 |
| Herring | 0 | 0 | 0 | 104 | 102 | 21 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 14 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | * | 1 | * |
| Total Pelagic and Estuarial fish | 0 | 0 | 0 | 105 | 102 | 35 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 3 | 15 | 22 |
| Whelk | 0 | 0 | 0 | 30 | 24 | 25 |
| Lobster | 0 | 0 | 0 | 104 | 375 | 342 |
| Shrimp | 0 | 0 | 0 | 1 713 | 2 656 | 3 129 |
| Snow crab | 0 | 0 | 51 | 3 359 | 3 735 | 1 049 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | * | 11 | 26 |
| Total Molluscs et Crustaceans | 0 | 0 | 51 | 5 209 | 6 815 | 4 593 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | 0 | 51 | 5 382 | 7 039 | 4 945 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

**********************
* PRELIMINARY *
**********************

GASPESIE

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| | JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 291 |
| | 0 | 0 | 0 | 0 | 0 | 0 | * |
| | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 73 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 109 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 506 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 227 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 242 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 40 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 79 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 820 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 7 497 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 8 194 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 38 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 16 668 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 17 417 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

********************
* PRELIMINARY *
********************

GASPESIE

Value ('000)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 38 | 56 | 195 |
| Haddock | 0 | 0 | 0 | * | 0 | * |
| Redfish | 0 | 0 | 0 | * | * | 8 |
| Atlantic halibut | 0 | 0 | 0 | 33 | 154 | 177 |
| American plaice | 0 | 0 | 0 | 3 | 1 | 2 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | * | * |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 0 | 0 | 0 | 33 | 66 | 148 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | * | 1 | 4 |
| Catfish | 0 | 0 | 0 | * | * | * |
| Other Groundfish | 0 | 0 | 0 | * | * | * |
| Total Groundfish | 0 | 0 | 0 | 107 | 278 | 533 |
| Herring | 0 | 0 | 0 | 50 | 47 | 9 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 9 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | * | * | * |
| Total Pelagic and Estuarial fish | 0 | 0 | 0 | 50 | 47 | 18 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | r | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 6 | 27 | 42 |
| Whelk | 0 | 0 | 0 | 19 | 14 | 16 |
| Lobster | 0 | 0 | 0 | 1 318 | 4 955 | 4 728 |
| Shrimp | 0 | 0 | 0 | 2 264 | 3 517 | 4 080 |
| Snow crab | 0 | 0 | 224 | 14 789 | 16 413 | 4 626 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | * | 10 | 24 |
| Total Molluscs and Crustaceans | 0 | 0 | 224 | 18 396 | 24 937 | 13 516 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | 0 | 224 | 18 553 | 25 263 | 14 068 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

**********
* PRELIMINARY *
**********

GASPESIE

Value ('000)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 290 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 0 | 0 | 0 | 0 | 0 | 0 | 364 |
| 0 | 0 | 0 | 0 | 0 | 0 | 5 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 246 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 918 |
| 0 | 0 | 0 | 0 | 0 | 0 | 106 |
| 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 116 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 75 |
| 0 | 0 | 0 | 0 | 0 | 0 | 49 |
| 0 | 0 | 0 | 0 | 0 | 0 | 11 002 |
| 0 | 0 | 0 | 0 | 0 | 0 | 9 861 |
| 0 | 0 | 0 | 0 | 0 | 0 | 36 052 |
| 0 | 0 | 0 | 0 | 0 | 0 | 34 |
| 0 | 0 | 0 | 0 | 0 | 0 | 57 072 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 58 107 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2001 (final) June Qty | 2001 (final) June Value | 2001 (final) Cumulative Qty | 2001 (final) Cumulative Value | 2002 (preliminary) June Qty | 2002 (preliminary) June Value | 2002 (preliminary) Cumulative Qty | 2002 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Gill net | 1 | 1 | 1 | 1 | 97 | 101 | 98 | 101 |
| Longline | 128 | 195 | 314 | 477 | 43 | 50 | 69 | 80 |
| Fixed gear | 0 | 0 | 0 | 0 | 7 | 8 | 7 | 8 |
| Bottom otter trawl (stern) | 187 | 255 | 254 | 343 | 38 | 29 | 108 | 93 |
| Shrimp trawl | 0 | 0 | * | * | 0 | 0 | * | * |
| Danish seine | 57 | 71 | 57 | 71 | 9 | 8 | 9 | 8 |
| Species total : | 372 | 521 | 626 | 893 | 194 | 195 | 291 | 290 |
| Redfish | | | | | | | | |
| Gill net | 1 | 1 | 1 | 1 | * | * | * | * |
| Longline | * | * | * | * | * | * | 1 | * |
| Fixed gear | 0 | 0 | 0 | 0 | * | * | * | * |
| Bottom otter trawl (stern) | 14 | 9 | 16 | 10 | 12 | 8 | 13 | 8 |
| Shrimp trawl | 0 | 0 | 0 | 0 | * | * | * | * |
| Species total : | 16 | 10 | 18 | 11 | 13 | 8 | 14 | 8 |
| American plaice | | | | | | | | |
| Gill net | 4 | 4 | 7 | 7 | 1 | 1 | 2 | 2 |
| Longline | * | * | * | * | * | * | * | * |
| Fixed gear | 0 | 0 | 0 | 0 | * | * | * | * |
| Bottom otter trawl (stern) | 3 | 2 | 10 | 6 | * | * | 6 | 3 |
| Danish seine | 1 | 1 | 1 | 1 | * | * | * | * |
| Species total : | 8 | 7 | 18 | 14 | 2 | 2 | 9 | 5 |
| Greenland halibut | | | | | | | | |
| Gill net | 114 | 243 | 162 | 347 | 54 | 126 | 70 | 161 |
| Longline | 10 | 20 | 23 | 47 | 2 | 4 | 10 | 20 |
| Fixed gear | 0 | 0 | 0 | 0 | 2 | 5 | 8 | 18 |
| Bottom otter trawl (stern) | 9 | 18 | 16 | 33 | 5 | 11 | 20 | 46 |
| Shrimp trawl | 0 | 0 | * | * | * | 1 | 1 | 1 |
| Species total : | 133 | 282 | 201 | 427 | 64 | 148 | 109 | 246 |
| OTHER GROUNDFISH | | | | | | | | |
| Gill net | 7 | 29 | 10 | 41 | 5 | 19 | 10 | 46 |
| Longline | 47 | 208 | 92 | 428 | 36 | 153 | 66 | 301 |
| Japanese trap | 0 | 0 | 0 | 0 | 0 | 0 | * | * |
| Fixed gear | 0 | 0 | 0 | 0 | 1 | 7 | 2 | 7 |
| Bottom otter trawl (stern) | 9 | 13 | 16 | 24 | 1 | 1 | 5 | 13 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2001 (final) June Qty | 2001 (final) June Value | 2001 (final) Cumulative Qty | 2001 (final) Cumulative Value | 2002 (preliminary) June Qty | 2002 (preliminary) June Value | 2002 (preliminary) Cumulative Qty | 2002 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Shrimp trawl | 0 | 0 | 1 | 3 | * | * | * | 2 |
| Species total : | 63 | 250 | 119 | 496 | 44 | 181 | 83 | 369 |
| **Total Groundfish** | **591** | **1 070** | **981** | **1 842** | **317** | **533** | **506** | **918** |
| Herring | | | | | | | | |
| Gill net | 56 | 18 | 378 | 147 | 21 | 9 | 226 | 106 |
| Shrimp trawl | 0 | 0 | * | * | 0 | 0 | 1 | * |
| Species total : | 56 | 18 | 379 | 147 | 21 | 9 | 227 | 106 |
| Mackerel | | | | | | | | |
| Gill net | 50 | 34 | 50 | 34 | 14 | 9 | 14 | 9 |
| Species total : | 50 | 34 | 50 | 34 | 14 | 9 | 14 | 9 |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | |
| Gill net | 1 | * | 1 | * | * | * | * | * |
| Longline | * | * | * | * | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | * | * | 3 | 1 | * | * | 1 | * |
| Species total : | 1 | * | 4 | 1 | * | * | 2 | * |
| **Total Pelagic and Estuarial fish** | **107** | **52** | **434** | **182** | **35** | **18** | **242** | **116** |
| Scallop | | | | | | | | |
| Drag | 63 | 107 | 125 | 222 | 22 | 42 | 40 | 75 |
| Species total : | 63 | 107 | 125 | 222 | 22 | 42 | 40 | 75 |
| Lobster | | | | | | | | |
| Pot | 311 | 4 111 | 1 003 | 13 295 | 342 | 4 728 | 820 | 11 002 |
| Species total : | 311 | 4 111 | 1 003 | 13 295 | 342 | 4 728 | 820 | 11 002 |
| Shrimp | | | | | | | | |
| Shrimp trawl | 293 | 418 | 5 158 | 6 861 | 3 129 | 4 080 | 7 497 | 9 861 |
| Species total : | 293 | 418 | 5 158 | 6 861 | 3 129 | 4 080 | 7 497 | 9 861 |
| Snow crab | | | | | | | | |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

GASPESIE

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2001 (final) June Qty | 2001 (final) June Value | 2001 (final) Cumulative Qty | 2001 (final) Cumulative Value | 2002 (preliminary) June Qty | 2002 (preliminary) June Value | 2002 (preliminary) Cumulative Qty | 2002 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Japanese trap | 93 | 413 | 1 030 | 4 573 | 80 | 353 | 1 507 | 6 566 |
| Conical trap | 456 | 2 112 | 4 496 | 21 127 | 958 | 4 223 | 6 480 | 28 570 |
| Pyramidal trap | 1 | 6 | 34 | 149 | 11 | 51 | 208 | 915 |
| Mix of trap - crab | 0 | 0 | 49 | 215 | 0 | 0 | 0 | 0 |
| Species total : | 550 | 2 531 | 5 608 | 26 065 | 1 049 | 4 626 | 8 194 | 36 052 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Trap | 45 | 31 | 90 | 65 | 25 | 16 | 79 | 48 |
| Pot | 27 | 22 | 40 | 31 | 27 | 24 | 38 | 35 |
| Rakes & tongs | 0 | 0 | 15 | 26 | 0 | 0 | 0 | 0 |
| Species total : | 72 | 53 | 144 | 122 | 51 | 40 | 117 | 83 |
| **Total Molluscs et Crustaceans** | **1 289** | **7 219** | **12 038** | **46 564** | **4 593** | **13 516** | **16 668** | **57 072** |
| **Sector total :** | **1 988** | **8 341** | **13 453** | **48 588** | **4 945** | **14 068** | **17 417** | **58 107** |

QUEBEC MARINE FISHERIES
MONTHLY LANDING STATISTICS BY SPECIES
QUEBEC REGION

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| | 2001 (final) | | | | 2002 (preliminary) | | | | Variation (%) of cumulative | |
|---|---|---|---|---|---|---|---|---|---|---|
| | June | | Cumulative | | June | | Cumulative | | | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 39 | 39 | 107 | 110 | 29 | 19 | 39 | 28 | - 64 | - 74 |
| Haddock | - | - | * | * | - | - | - | - | N/A | N/A |
| Redfish | 135 | 113 | 219 | 187 | 18 | 14 | 18 | 14 | - 92 | - 93 |
| Atlantic halibut | * | 1 | 1 | 4 | * | 1 | * | 1 | - 60 | - 66 |
| American plaice | 9 | 9 | 46 | 40 | 13 | 8 | 22 | 15 | - 53 | - 63 |
| Greysole (Witch) | 1 | 1 | 6 | 7 | 1 | 1 | 1 | 1 | - 91 | - 91 |
| Winter flounder | 74 | 47 | 165 | 110 | 33 | 17 | 85 | 51 | - 48 | - 54 |
| Greenland halibut | 1 | 2 | 1 | 2 | * | 1 | * | 1 | - 67 | - 58 |
| Unspecified flounders | - | - | - | - | 6 | - | 8 | - | - | - |
| White hake | * | * | 1 | * | - | - | - | - | N/A | N/A |
| Catfish | - | - | * | * | - | - | - | - | N/A | N/A |
| Other Groundfish | 111 | 74 | 290 | 202 | 76 | 36 | 179 | 95 | - 38 | - 53 |
| Total Groundfish | 369 | 288 | 836 | 663 | 177 | 97 | 352 | 206 | - 58 | - 69 |
| Herring | 3 | * | 2 624 | 406 | * | * | * | * | - 100 | - 100 |
| Mackerel | 33 | 22 | 33 | 22 | 11 | 9 | 11 | 9 | - 68 | - 58 |
| Tuna, Bluefin | - | - | - | - | - | - | - | - | - | - |
| Eel | - | - | - | - | - | - | - | - | - | - |
| Salmon | - | - | - | - | - | - | - | - | - | - |
| Smelt | - | - | - | - | - | - | - | - | - | - |
| Capelin | - | - | - | - | - | - | - | - | - | - |
| Other Pelagic and Esturial fish | * | * | * | * | * | * | * | * | 155 | 36 |
| Total Pelagic and Esturial fish | 36 | 23 | 2 657 | 429 | 11 | 9 | 11 | 9 | - 100 | - 98 |
| Soft shell clam | - | - | - | - | - | - | - | - | - | - |
| Ocean quahaug | - | - | - | - | - | - | - | - | - | - |
| Mussel | - | - | - | - | - | - | - | - | - | - |
| Scallop | 17 | 30 | 143 | 247 | 27 | 48 | 104 | 181 | - 27 | - 27 |
| Whelk | - | - | - | - | - | - | - | - | - | - |
| Lobster | 1 074 | 13 820 | 2 144 | 27 440 | 1 159 | 15 601 | 1 848 | 24 961 | - 14 | - 9 |
| Shrimp | - | - | - | - | - | - | - | - | - | - |
| Snow crab | 248 | 1 204 | 1 021 | 4 532 | 500 | 2 452 | 1 424 | 6 930 | 39 | 53 |
| Other Molluscs and Crustaceans | 16 | 9 | 40 | 29 | 56 | 33 | 73 | 42 | 82 | 47 |
| Total Molluscs and Crustaceans | 1 355 | 15 062 | 3 349 | 32 247 | 1 743 | 18 134 | 3 449 | 32 114 | 3 | 0 |
| Other Item | - | - | - | - | - | - | - | - | - | - |
| Total | 1 760 | 15 373 | 6 842 | 33 338 | 1 931 | 18 240 | 3 812 | 32 329 | - 44 | - 3 |

QUEBEC MARINE FISHERIES
CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, JUNE 2002
QUEBEC REGION

* PRELIMINARY *

## MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species | Less than 35' | | 35' - 64'11" | | 65' and over | | Total by species | |
|---|---|---|---|---|---|---|---|---|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | 2 | 2 | 37 | 26 | 0 | 0 | 39 | 28 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 18 | 14 | 0 | 0 | 18 | 14 |
| Atlantic halibut | 0 | 0 | * | 1 | 0 | 0 | * | 1 |
| American plaice | 0 | 0 | 22 | 15 | 0 | 0 | 22 | 15 |
| Greysole (Witch) | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 1 |
| Winter flounder | 38 | 26 | 48 | 25 | 0 | 0 | 85 | 51 |
| Greenland halibut | 0 | 0 | * | 1 | 0 | 0 | * | 1 |
| Unspecified flounders | 2 | 0 | 6 | 0 | 0 | 0 | 8 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 33 | 19 | 146 | 76 | 0 | 0 | 179 | 95 |
| Total Groundfish | 75 | 47 | 277 | 159 | 0 | 0 | 352 | 206 |
| Herring | 0 | 0 | * | * | 0 | 0 | * | * |
| Mackerel | 0 | 0 | 11 | 9 | 0 | 0 | 11 | 9 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | * | * | 0 | 0 | * | * |
| Total Pelagic and Estuarial fish | 0 | 0 | 11 | 9 | 0 | 0 | 11 | 9 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 104 | 181 | 0 | 0 | 104 | 181 |
| Whelk | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lobster | 706 | 9 541 | 1 142 | 15 420 | 0 | 0 | 1 848 | 24 961 |
| Shrimp | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Snow crab | 127 | 622 | 1 297 | 6 308 | 0 | 0 | 1 424 | 6 930 |
| Other Molluscs and Crustaceans | 38 | 21 | 35 | 21 | 0 | 0 | 73 | 42 |
| Total Molluscs and Crustaceans | 871 | 10 184 | 2 578 | 21 930 | 0 | 0 | 3 449 | 32 114 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 946 | 10 231 | 2 866 | 22 098 | 0 | 0 | 3 812 | 32 329 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

* PRELIMINARY *

MAGDALEN ISLANDS

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | 1 | 9 | 29 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | 0 | 18 |
| Atlantic halibut | 0 | 0 | 0 | 0 | * | * |
| American plaice | 0 | 0 | 0 | 0 | 8 | 13 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 1 |
| Winter flounder | 0 | 0 | 0 | 4 | 49 | 33 |
| Greenland halibut | 0 | 0 | 0 | 0 | 0 | * |
| Unspecified flounders | 0 | 0 | 0 | 0 | 2 | 6 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 4 | 99 | 76 |
| Total Groundfish | 0 | 0 | 0 | 8 | 167 | 177 |
| Herring | 0 | 0 | 0 | 0 | 0 | * |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 11 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | * |
| Total Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 11 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | * | 0 | 0 | 55 | 22 | 27 |
| Whelk | 0 | 0 | 0 | 0 | 0 | 0 |
| Lobster | 0 | 0 | 0 | 0 | 689 | 1 159 |
| Shrimp | 0 | 0 | 0 | 0 | 0 | 0 |
| Snow crab | 0 | 0 | 0 | 270 | 654 | 500 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 17 | 56 |
| Total Molluscs et Crustaceans | * | 0 | 0 | 324 | 1 382 | 1 743 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | * | 0 | 0 | 332 | 1 549 | 1 931 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

**********************
* PRELIMINARY *
**********************

MAGDALEN ISLANDS

Quantity (metric tons, round weight)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 39 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 22 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 85 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 179 |
| 0 | 0 | 0 | 0 | 0 | 0 | 352 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 104 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 848 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 424 |
| 0 | 0 | 0 | 0 | 0 | 0 | 73 |
| 0 | 0 | 0 | 0 | 0 | 0 | 3 449 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 3 812 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

* PRELIMINARY *

MAGDALEN ISLANDS

Value ('000)
(Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---|---|---|---|---|---|---|
| Cod | 0 | 0 | 0 | * | 9 | 19 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | 0 | 14 |
| Atlantic halibut | 0 | 0 | 0 | 0 | * | 1 |
| American plaice | 0 | 0 | 0 | 0 | 6 | 8 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 1 |
| Winter flounder | 0 | 0 | 0 | 3 | 31 | 17 |
| Greenland halibut | 0 | 0 | 0 | 0 | 0 | 1 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 2 | 57 | 36 |
| Total Groundfish | 0 | 0 | 0 | 5 | 104 | 97 |
| Herring | 0 | 0 | 0 | 0 | 0 | * |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 9 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Eel | 0 | 0 | 0 | 0 | 0 | 0 |
| Salmon | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | * |
| Total Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 9 |
| Soft shell clam | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Mussel | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 1 | 0 | 0 | 92 | 40 | 48 |
| Whelk | 0 | 0 | 0 | 0 | 0 | 0 |
| Lobster | 0 | 0 | 0 | 0 | 9 360 | 15 601 |
| Shrimp | 0 | 0 | 0 | 0 | 0 | 0 |
| Snow crab | 0 | 0 | 0 | 1 312 | 3 166 | 2 452 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 0 | 9 | 33 |
| Total Molluscs and Crustaceans | 1 | 0 | 0 | 1 404 | 12 575 | 18 134 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | 0 | 0 | 1 409 | 12 679 | 18 240 |

QUEBEC MARINE FISHERIES
MONTHLY LANDINGS BY SPECIES IN 2002
QUEBEC REGION

* PRELIMINARY *

MAGDALEN ISLANDS

Value ('000)
(Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|---|---|---|---|---|---|
| 0 | 0 | 0 | 0 | 0 | 0 | 28 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 51 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 95 |
| 0 | 0 | 0 | 0 | 0 | 0 | 206 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | * |
| 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 181 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 24 961 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 6 930 |
| 0 | 0 | 0 | 0 | 0 | 0 | 42 |
| 0 | 0 | 0 | 0 | 0 | 0 | 32 114 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 32 329 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2001 (final) June Qty | 2001 (final) June Value | 2001 (final) Cumulative Qty | 2001 (final) Cumulative Value | 2002 (preliminary) June Qty | 2002 (preliminary) June Value | 2002 (preliminary) Cumulative Qty | 2002 (preliminary) Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Cod | | | | | | | | |
| Longline | * | * | 43 | 44 | 2 | 2 | 2 | 2 |
| Pot | * | * | * | * | * | * | * | * |
| Bottom otter trawl (stern) | 1 | 2 | 13 | 13 | 10 | 1 | 10 | 1 |
| Scottish seine | 37 | 37 | 51 | 52 | 17 | 16 | 27 | 25 |
| Species total : | 39 | 39 | 107 | 110 | 29 | 19 | 39 | 28 |
| Redfish | | | | | | | | |
| Bottom otter trawl (stern) | 135 | 113 | 219 | 187 | 18 | 14 | 18 | 14 |
| Species total : | 135 | 113 | 219 | 187 | 18 | 14 | 18 | 14 |
| American plaice | | | | | | | | |
| Longline | * | * | * | * | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 0 | 0 | * | * | 9 | 4 | 9 | 4 |
| Scottish seine | 9 | 9 | 46 | 40 | 4 | 4 | 13 | 10 |
| Species total : | 9 | 9 | 46 | 40 | 13 | 8 | 22 | 15 |
| Greenland halibut | | | | | | | | |
| Bottom otter trawl (stern) | 1 | 2 | 1 | 2 | * | 1 | * | 1 |
| Species total : | 1 | 2 | 1 | 2 | * | 1 | * | 1 |
| OTHER GROUNDFISH | | | | | | | | |
| Gill net | 20 | 15 | 53 | 40 | 1 | 1 | 14 | 12 |
| Longline | * | * | * | 1 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 47 | 31 | 125 | 87 | 23 | 1 | 81 | 34 |
| Scottish seine | 118 | 78 | 284 | 195 | 93 | 52 | 178 | 102 |
| Species total : | 186 | 124 | 462 | 323 | 116 | 54 | 273 | 148 |
| **Total Groundfish** | **369** | **288** | **836** | **663** | **177** | **97** | **352** | **206** |
| Herring | | | | | | | | |
| Gill net | 3 | * | 2 624 | 406 | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 0 | 0 | 0 | 0 | * | * | * | * |
| Species total : | 3 | * | 2 624 | 406 | * | * | * | * |
| Mackerel | | | | | | | | |
| Gill net | 33 | 22 | 33 | 22 | 11 | 9 | 11 | 9 |

QUEBEC MARINE FISHERIES
MAIN SPECIES LANDINGS BY GEARS TYPES
QUEBEC REGION

MAGDALEN ISLANDS

Quantity (metric tons, round weight), value ('000$)
(Excluding non commercial fisheries)

| Species / Gear | 2001 (final) June Qty | June Value | Cumulative Qty | Cumulative Value | 2002 (preliminary) June Qty | June Value | Cumulative Qty | Cumulative Value |
|---|---|---|---|---|---|---|---|---|
| Species total : | 33 | 22 | 33 | 22 | 11 | 9 | 11 | 9 |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | |
| Bottom otter trawl (stern) | 0 | 0 | 0 | 0 | * | * | * | * |
| Scottish seine | * | * | * | * | 0 | 0 | 0 | 0 |
| Species total : | * | * | * | * | * | * | * | * |
| **Total Pelagic and Estuarial fish** | **36** | **23** | **2 657** | **429** | **11** | **9** | **11** | **9** |
| Scallop | | | | | | | | |
| Drag | 17 | 30 | 143 | 247 | 27 | 48 | 104 | 181 |
| Species total : | 17 | 30 | 143 | 247 | 27 | 48 | 104 | 181 |
| Lobster | | | | | | | | |
| Pot | 1 074 | 13 820 | 2 144 | 27 440 | 1 159 | 15 601 | 1 848 | 24 961 |
| Species total : | 1 074 | 13 820 | 2 144 | 27 440 | 1 159 | 15 601 | 1 848 | 24 961 |
| Snow crab | | | | | | | | |
| Japanese trap | 0 | 0 | 0 | 0 | 2 | 8 | 9 | 36 |
| Conical trap | 241 | 1 167 | 971 | 4 284 | 491 | 2 408 | 1 375 | 6 700 |
| Pyramidal trap | 7 | 37 | 51 | 247 | 8 | 37 | 40 | 194 |
| Species total : | 248 | 1 204 | 1 021 | 4 532 | 500 | 2 452 | 1 424 | 6 930 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Pot | 16 | 9 | 35 | 19 | 56 | 33 | 73 | 42 |
| Drag | 0 | 0 | 5 | 10 | 0 | 0 | 0 | 0 |
| Species total : | 16 | 9 | 40 | 29 | 56 | 33 | 73 | 42 |
| **Total Molluscs et Crustaceans** | **1 355** | **15 062** | **3 349** | **32 247** | **1 743** | **18 134** | **3 449** | **32 114** |
| **Sector total :** | **1 760** | **15 373** | **6 842** | **33 338** | **1 931** | **18 240** | **3 812** | **32 329** |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

REGIONAL SUMMARY

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2001 (final) | | 2002 (preliminary) | | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| | | June | Cumulative | June | Cumulative | |
| GROUNDFISH | | | | | | |
| Cod | Round | 1,253 | 1,250 | 1,083 | 1,083 | -13,4 |
| | Gutted, head on | 1,654 | 1,651 | 1,142 | 1,135 | -31,2 |
| Redfish | Round | 0,820 | 0,836 | 0,707 | 0,704 | -15,8 |
| | Gutted, head on | 0,908 | 0,908 | - | - | N/A |
| Atlantic halibut | Round | - | - | - | 0,485 | N/A |
| | Gutted, head on | 5,783 | 5,840 | 5,373 | 5,380 | -7,9 |
| | Gutted, head off | 8,289 | 8,717 | - | - | N/A |
| American plaice | Round | 0,947 | 0,854 | 0,650 | 0,663 | -22,4 |
| Greysole (Witch) | Round | 0,675 | 0,802 | - | - | N/A |
| Winter flounder | Round | 0,643 | 0,667 | 0,502 | 0,595 | -10,9 |
| Greenland halibut | Round | 2,292 | 2,216 | - | 2,205 | -0,5 |
| | Gutted, head on | 2,039 | 2,039 | - | - | N/A |
| | Bled, partly gutted | 2,227 | 2,230 | 2,392 | 2,357 | 5,7 |
| White hake | Gutted, head on | 0,681 | 0,680 | 0,662 | 0,662 | -2,7 |
| Catfish | Gutted, head on | 0,367 | 0,369 | 0,471 | 0,444 | 20,4 |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | 0,348 | 0,198 | 0,508 | 0,494 | 149,5 |
| Mackerel | Round | 0,668 | 0,668 | 0,769 | 0,769 | 15,1 |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Soft shell clam | In shell | 1,759 | 1,763 | - | 2,178 | 23,5 |
| Scallop | In shell | 1,018 | 1,138 | 0,992 | 0,992 | -12,8 |
| | Meat | 12,160 | 12,573 | 10,946 | 11,301 | -10,1 |
| Whelk | In shell | 0,819 | 0,822 | 0,817 | 0,790 | -3,8 |
| Lobster | Round | 12,911 | 12,916 | 13,532 | 13,475 | 4,3 |
| Shrimp | Round | 1,338 | 1,324 | 1,302 | 1,322 | -0,2 |
| | Cooked in shell | 3,665 | 3,422 | - | 3,204 | -6,4 |
| | Meat | - | - | 2,205 | 2,205 | N/A |
| Snow crab | Round | 4,448 | 4,501 | 4,514 | 4,454 | -1,1 |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

NORTH-SHORE

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2001 (final) June | 2001 (final) Cumulative | 2002 (preliminary) June | 2002 (preliminary) Cumulative | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| GROUNDFISH | | | | | | |
| Cod | Gutted, head on | 1,358 | 1,358 | 1,393 | 1,393 | 2,6 |
| Atlantic halibut | Gutted, head on | 6,741 | 7,123 | - | 0,023 | -99,7 |
| | Gutted, head off | 8,289 | 8,717 | - | - | N/A |
| American plaice | Round | 0,987 | 0,987 | - | - | N/A |
| Greenland halibut | Bled, partly gutted | 2,189 | 2,211 | - | - | N/A |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | 0,396 | 0,516 | 0,552 | 0,552 | 7,0 |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Soft shell clam | In shell | 1,759 | 1,763 | - | 2,178 | 23,5 |
| Scallop | In shell | 1,543 | 1,458 | 0,992 | 0,992 | -32,0 |
| | Meat | 11,241 | 11,239 | 9,361 | 9,385 | -16,5 |
| Whelk | In shell | 0,842 | 0,841 | 0,859 | 0,848 | 0,8 |
| Lobster | Round | 11,581 | 11,522 | 13,017 | 13,283 | 15,3 |
| Shrimp | Round | 1,237 | 1,264 | 1,297 | 1,533 | 21,3 |
| | Cooked in shell | 3,759 | 3,430 | - | 3,196 | -6,8 |
| Snow crab | Round | 4,351 | 4,383 | 4,470 | 4,432 | 1,1 |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

GASPESIE

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2001 (final) June | 2001 (final) Cumulative | 2002 (preliminary) June | 2002 (preliminary) Cumulative | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| GROUNDFISH | | | | | | |
| Cod | Round | 1,255 | 1,255 | 1,083 | 1,085 | -13,5 |
| | Gutted, head on | 1,713 | 1,733 | 1,207 | 1,188 | -31,5 |
| Redfish | Round | 0,640 | 0,631 | 0,610 | 0,607 | -3,7 |
| Atlantic halibut | Gutted, head on | 5,709 | 5,681 | 5,699 | 5,718 | 0,7 |
| American plaice | Round | 0,899 | 0,799 | 0,848 | 0,591 | -26,0 |
| Greysole (Witch) | Round | 0,595 | 0,576 | - | - | N/A |
| Greenland halibut | Round | 2,292 | 2,264 | - | 2,205 | -2,6 |
| | Bled, partly gutted | 2,229 | 2,231 | 2,398 | 2,363 | 5,9 |
| White hake | Gutted, head on | 0,669 | 0,667 | 0,662 | 0,662 | -0,8 |
| Catfish | Gutted, head on | 0,367 | 0,369 | 0,350 | 0,341 | -7,5 |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | 0,322 | 0,388 | 0,416 | 0,468 | 20,5 |
| Mackerel | Round | 0,665 | 0,665 | 0,680 | 0,680 | 2,2 |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Soft shell clam | In shell | - | 1,775 | - | - | N/A |
| Scallop | In shell | 0,992 | 0,992 | - | - | N/A |
| | Meat | 14,676 | 15,188 | 15,626 | 15,549 | 2,4 |
| Whelk | In shell | 0,692 | 0,724 | 0,637 | 0,616 | -14,9 |
| Lobster | Round | 13,238 | 13,259 | 13,840 | 13,416 | 1,2 |
| Shrimp | Round | 1,418 | 1,327 | 1,303 | 1,313 | -1,0 |
| | Cooked in shell | 3,318 | 3,305 | - | 3,303 | -0,1 |
| | Meat | - | - | 2,205 | 2,205 | N/A |
| Snow crab | Round | 4,602 | 4,648 | 4,409 | 4,400 | -5,3 |

QUEBEC MARINE FISHERIES
AVERAGE LANDED PRICE BY SPECIES
QUEBEC REGION

MAGDALEN ISLANDS

$ / kilogram
(Excluding non commercial fisheries)

| Species | Landed form Description | 2001 (final) June | 2001 (final) Cumulative | 2002 (preliminary) June | 2002 (preliminary) Cumulative | Variation in % of cumulative |
|---|---|---|---|---|---|---|
| GROUNDFISH | | | | | | |
| Cod | Round | - | 1,102 | - | - | N/A |
| | Gutted, head on | 1,216 | 1,228 | 0,785 | 0,867 | -29,3 |
| Redfish | Round | 0,841 | 0,853 | 0,778 | 0,778 | -8,8 |
| | Gutted, head on | 1,102 | 1,102 | - | - | N/A |
| Atlantic halibut | Gutted, head on | 6,041 | 6,041 | 4,081 | 4,081 | -32,4 |
| American plaice | Round | 0,988 | 0,875 | 0,600 | 0,707 | -19,2 |
| Greysole (Witch) | Round | 1,263 | 1,170 | - | - | N/A |
| Winter flounder | Round | 0,642 | 0,668 | 0,502 | 0,595 | -10,9 |
| Greenland halibut | Gutted, head on | 2,039 | 2,039 | - | - | N/A |
| PELAGIC AND ESTUARIAL FISH | | | | | | |
| Herring | Round | - | 0,155 | - | - | N/A |
| Mackerel | Round | 0,672 | 0,672 | 0,882 | 0,882 | 31,2 |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Scallop | Meat | 14,267 | 14,329 | 14,646 | 14,402 | 0,5 |
| Lobster | Round | 12,873 | 12,797 | 13,456 | 13,505 | 5,5 |
| Snow crab | Round | 4,850 | 4,437 | 4,902 | 4,867 | 9,7 |